# PRESCOTT ENVIRONMENTAL

January 23, 2006

Mr. Jan Chenowith Young Realty Company, L.P. 7399 Shadeland Avenue, PMB #166 Indianapolis, Indiana 46250 PECEIVED

JAN 26 2006

Asheville Regional Office Aquifer Protection

PEAI Project No. 98-007

RE: Supplemental Groundwater Monitoring
Parkway Chevrolet, 205 Smoky Mountain Parkway
Asheville, Buncombe County, North Carolina
Groundwater Incident #18332

Dear Mr. Chenowith:

Prescott Environmental Associates, Inc. (PEAI) has completed this Supplemental Groundwater Monitoring Report for the Parkway Chevrolet Property (the Site) in accordance with the Work Plan submitted to the North Carolina Department of Environment and Natural Resources, Groundwater Section, Asheville Regional Office. The field activities were completed on January 5, 2006. These environmental services were authorized by Mr. Jan Chenowith, Young Realty Company, LP, representing the former owner/operator of the dealership at the Site. The purpose of this project was to determine the extent of volatile organic compounds (VOCs) and semivolatile organic compounds (SVOCs) in groundwater for Monitoring Well 1-A (replaces MW-1).

Figure 1 (Attachment A) shows the physical location of the Site, and Figure 2 is a Site Plan which shows the groundwater monitoring well locations. Table 1 (Attachment B) presents the laboratory analytical results.

The areas where groundwater monitoring wells are located include the following:

- Eastern Side of Main Service Area one shallow well to 30 feet (MW-1);
- South Side of Auto Detailing Shop Building one shallow well to 40 feet (MW-2A); and,
- West Side of Parts Dept. Building one shallow well to 25 feet (MW-3).

#### PRESCOTT ENVIRONMENTAL ASSOCIATES, INC.

Mr. Chenowith January 23, 2006 Page 2

### **Groundwater Sampling**

Monitoring well MW-1 was properly abandoned (see Attachment C). New Monitoring Well MW-1A was installed on January 5, 2006 (see Attachment C). The well was allowed to settle overnight. The next day, the well was properly purged and developed prior to sampling. The sample was collected using a new disposable polyethylene bailer and new nylon line. The groundwater sample was transferred from the bailer to clean, labeled sample bottles which were immediately placed in a cooler with ice. The samples were transported via overnight service (Federal Express) to Environmental Science Corp., in Mt. Juliet, Tennessee under proper chain-of-custody documentation.

Volatile organic compound analysis detected the presence of tetrachloroethene at 0.60 micrograms per liter ( $\mu g/l$ ) (15A NCAC 2L.0202 Groundwater Standard is 0.7  $\mu g/l$ ). No other volatile organic compounds were detected. Semivolatile organic compound analysis did not detect the presence of listed constituents above the method quantitation limit. Tentatively identified compounds (TICs) were not detected in the sample collected during this round of monitoring. See Attachment D for analytical results.

#### **Groundwater Gradient**

The groundwater horizontal hydraulic gradient at the Site was determined by surveying the location and elevation of the groundwater monitoring wells to a common benchmark. The survey is accurate to the nearest 0.1 foot horizontally and nearest 0.01 foot vertically. PEAI personnel measured the distance from the static groundwater level to the top of the well casings to an accuracy of 0.01-foot. Using this water level information, PEAI previously compiled a hydraulic gradient map which can be found in a Comprehensive Site Assessment report issued August 5, 1998 (Figure 6). PEAI also calculated the horizontal groundwater gradient across the site to be 0.08 ft/ft for the 8/5/98 event. Based on data collected during previous measuring events, it was concluded that the groundwater gradient trends mainly in a southern direction, toward Smoky Park Highway.

#### **Local Receptors**

A receptor survey was previously completed by PEAI to determine if water supply wells are located in the immediate vicinity of the Site. The closest receptor water supply is the water supply well at the Monticello Mobile Home Park, located approximately 750 feet northeast of the subject property. This well is reported to serve approximately 50 mobile homes. Again, the local groundwater flow direction is toward the south, away from this property. The subject Site is also topographically down gradient from the mobile home park. Most properties in the vicinity of the Site are served by the Asheville municipal water supply.

# POST OFFICE BOX 2555, CHAPEL HILL, NORTH CAROLINA 27515 (919) 942-8006 (919) 942-2964 Dinio @prescottenv.com PRESCOTT ENVIRONMENTAL ASSOCIATES, INC.

Mr. Chenowith . January 23, 2006 Page 3

### **Conclusion and Recommendations**

The primary objective of this project was to complete the annual groundwater monitoring started in October for evidence of contamination from volatile and semi-volatile organic compounds. The Work Plan for this project was approved prior to the initiation of site activities by the Groundwater Section of the North Carolina Department of Environment and Natural Resources (NC DENR).

This project included the collection of a sample from the new monitoring well MW-1A which replaces MW-1 which had been damaged and was properly closed. Tetrachloroethene was detected in MW-1A at  $0.60~\mu g/l$ ; the state groundwater standard for tetrachloroethene is  $0.7~\mu g/l$ . No other volatile or semi-volatile organic compounds were detected.

The source of the tetrachloroethene is not known at this time. It has been detected during other recent sampling events. Additional sampling and analysis events should be completed to verify the existence of this compound and to provide continuing groundwater monitoring at the Site.

PEAI appreciates the opportunity to be of service to Young Realty Company, LP/Parkway Chevrolet. A copy of this document will be submitted to the North Carolina Department of Environment and Natural Resources, Division of Water Quality, Groundwater Section, Asheville Regional Office. Should you have any questions or comments regarding the contents of this report, please feel free to contact PEAI at your earliest opportunity.

Respectfully,

PRESCOTT ENVIRONMENTAL ASSOCIATES, INC.

Douglas P. Guild, CEP Senior Environmental Scientist/Principal

Thomas R. Will, LG # 1164 Consulting Licensed Geologist

Attachments

ATTACHMENTS

ATTACHMENT A

FIGURES











PRESCOTT ENVIRONMENTAL ASSOCIATES, INC POST OFFICE BOX 2555 CHAPEL HILL NORTH CAROLINA 27515-2555 (919) 942-8006 PHONE (919) 967-4953 FACSIMILE

Project.

**Groundwater Monitoring Event** 

Parkway Chevrolet 205 Smoky Park Highway

Asheville, NC

Job No.

98-007

Figure No: 1

Site Map


Drawn By:

**CRG** 

Date: 3/23/98

Checked By: DPG

Scale 1"=2000"





P RESCOTT ENVIRONMENTAL ASSOCIATES, INC.
POST OFFICE BOX 2555
CHAPEL HILL, NORTH CAROLINA 27515-2555
(919) 942-8006 PHONE (919) 967-4953 FACSIMILE

Monitoring

**CRG** Drawn By:

**DPG** 

Date: 3/8/98

Checked By:

Scale: 1" = 128'

ATTACHMENT B

TABLES

#### TABLE 1

# Semi-Annual Groundwater Monitoring Laboratory Analytical Results

# Former Parkway Chevrolet Facility 205 Smoky Park Highway Asheville, Buncombe County, NC

Sample I.D.	Date/Time	Monitoring Well	Lab Results
W-1	1/6/06 - 10:25	MW-1A	502.2 - Tetrachloroethene - 0.60
			ug/L 625+10 - BQL <sup>1</sup>

BQL - Below Quantitation Limit

# ATTACHMENT C

WELL ABANDONMENT RECORD WELL CONSTRUCTION RECORD

North Carolina - Department of Environment and Natural Resources - Division of Water Quality - Groundwater Section - 1636 Mail Service Center - Raleigh, NC 27699-1639 - Phone No. (919) 733-3221

	TOR CERTIFICATION # 2736	
1. WELL USE (Check Applicable Box): Residential ☐ Municipal ☐ Recovery ☐ Heat Pump Water Injection ☐ Other ☐ If Other, List ?	Industrial   Agricultural   M Use:	(onitoring XIX
WELL LOCATION: (Show a sketch of the location on back of for Nearest Town: Asheville     205 Smokey Park Hwy.	County Buncombe	9N 82. 63.073 W
(Road Name and Number, Community, Subdivision, Lot No.		
3. OWNER: Jan Chenowith		
4. ADDRESS: 7399 Shadeland Ave.Indianapolis. IN 5. TOPOGRAPHY: draw, slope, hilltop, valley, 144 46250	WELL DIAGRAM: Draw a det well showing total depth, depth acreens remaining in the well, g intervals of casing perforations,	and diameter of ravel interval,
6. TOTAL DEPTH: 30 ft DIAMETER 2 inch	types of fill materials used.	
7. CASING REMOVED:	Depth	MW - 1
feet diameter NA NA	0 Well groute	ed from 0 to 30 ft
8. DISINFECTION: NA (Amount of 70% hypochlorite used:)		2 inch casing 0-20 ft
9. SEALING MATERIAL:  Neat Cement bags of cement 1.5  gallons of water 10  Sand Cement bags of cement gallons of water gallons of water	20	2 mon casing 0-20 ft
Ωther Type material		20-inch screen 20-30 t
Amount  10. EXPLAIN METHOD EMPLACEMENT OF MATERIAL.  Grout pumped through tremie pipe	30	
11. DATE WELL ABANDONED Jan. 5, 2006		
I do hereby certify that this well was abandoned in according standards, and that a copy of the record has been provided to the	well owner.	ell construction
Signature of person abandoning the well	Date_	1/20/06
WELL LOCATION: Draw a location sketch on the reverse of the well to at least two (2) nearby ref streams. Identify roads with State High	erence points such as roads, int	ersections and
Submit original to the Division of Water Quality, Groundwater : from completion of abandonment.	Section, one copy to the owner	within 30 days

GW-30 Revised 12/99



# Non Residential well construction record


North Carolina Department of Environment and Natural Resources- Division of Water Quality

### WELL CONTRACTOR CERTIFICATION # 2736

1. WELL CONTRACTOR:	d. TOP OF CASING IS 0 FT. Above Land Surface*
Chris Bost	*Top of casing terminated at/or below land surface may require a variance in accordance with 15A NCAC 2C .0118.
Well Contractor (Individual) Name	
Probe Technology, Inc.	e. YIELD (gpm):METHOD OF TEST
Well Contractor Company Name	f. DISINFECTION: TypeAmount
STREET ADDRESS PO Box 1369	g. WATER ZONES (depth)
Concord, NC 28027	From To From To
City or Town State Zip Code	FromToToTo
(704) 933-5538	From To From To
Area code- Phone number	6. CASING: Thickness/
2. WELL INFORMATION:	From 0 To 20 Ft. 2 inch Schd 40 PVC
SITE WELL ID #(if applicable)	From 0 To 20 Ft. 2 inch Schd 40 PVC
STATE WELL PERMIT#(if applicable)	From To Ft.
DWQ or OTHER PERMIT #(if applicable)	From To Ft.
WELL USE (Check Applicable Box) Monitoring Municipal/Public	7. GROUT: Depth Material Method
Industrial/Commercial   Agricultural   Recovery  Injection	From 0 To 16 Ft portland pour
Irrigation ☐ Other ☐ (list use)	From 16 To 18 Ft bentonite pour
	From To Ft.
DATE DRILLED 1/05/06	
TIME COMPLETED 11:00 AND PM	The state of the s
3. WELL LOCATION:	From 20 To 35 Ft. 2 in. 0.010n. PVC
CITY: Asheville COUNTY Buncombe	From         To         Ft         in         in           From         To         Ft         in         in
205 Smokey park Hwy	
(Street Name, Numbers, Community, Subdivision, Lot No., Parcel, Zip Code)	9. SAND/GRAVEL PACK:  Depth Size Material
TOPOGRAPHIC / LAND SETTING:	
□ Slope □ Valley 🗖 Flat □ Ridge □ Other	From 18 To 35 Ft #2 silica
(check appropriate box)	FromToFt
LATITUDE 3 35 57.059 N May be in degrees.	FromToFt
oo co o o minutes, seconds or	10. DRILLING LOG
	From To Formation Description
Latitude/longitude source: MAPS Topographic map	
(location of well must be shown on a USGS topo map and attached to this form if not using GPS)	
4. FACILITY- is the name of the business where the well is located.	
FACILITY ID #(if applicable)	
NAME OF FACILITY Asheville Chevrolet	
STREET ADDRESS 205 Smokey Park Hwy.	
Asheville, NC	
City or Town State Zip Code  CONTACT PERSON Jan Chenowith	
MAILING ADDRESS 7399 Shadeland Ave.	
Indianapolis, IN 46205	11. REMARKS:
City or Town State Zip Code	MW-05-3
(317 ). 577-2413	LOO HERERY CERTIES THAT THIS WIELL WAS CONSTRUCTED IN ADDRESS
Area code - Phone number	1 DO HEREBY CERTIFY THAT THIS WELL WAS CONSTRUCTED IN ACCORDANCE WITH 15A NCAC 2C, WELL CONSTRUCTION STANDARDS, AND THAT A COPY OF THIS
5. WELL DETAILS:	RECORD HAS BEEN PROVIDED TO THE WELL OWNER.
a. TOTAL DEPTH: 35	The second second
	1/20/06
b. DOES WELL REPLACE EXISTING WELL? YES X NO [	SIGNATURE OF CERTIFIED WELL CONTRACTOR DATE
c. WATER LEVEL Below Top of Casing: 25 FT.	1
(Use "+" if Above Top of Casing)	Chris Bost
	PRINTED NAME OF PERSON CONSTRUCTING THE WELL

## ATTACHMENT D

LABORATORY ANALYTICAL REPORT



12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Doug Guild Prescott Environmental Associates, PO Box 2555 Chapel Hill, NC 27515

January 19, 2006

ESC Sample # :

L228845-01

Date Received Description

January 07, Parkway Chev. .07, 2006

Site ID :

Sample ID

W-1 (MW-1A) 23 FT

Project # : 98-007

Collected By Collection Date : Doug Guild

01/06/06 10:25

Dil. Parameter Result Det. Limit Units Method Date 0.00050 mg/1Benzene 502.2 01/13/06 Carbon tetrachloride 0.00050 502.2 01/13/06 BDL mg/l 0.00050 01/13/06 01/13/06 1,4-Dichlorobenzene BDL mg/l 502.2 502.2 mg/l 1.2-Dichloroethane BDT. 0.00050 1,1-Dichloroethene BDL mg/l 502.2 01/13/06 1,1,1-Trichloroethane BDL 0.00050 mg/l 502.2 01/13/06 Trichloroethene BDL 0.00050 mg/l 502.2 01/13/06 Vinyl chloride 1,2,4-Trichlorobenzene cis-1,2-Dichloroethene BDL 0.00050 mg/l 502.2 01/13/06 502.2 01/13/06 mg/l BDL BDL 0.00050 mg/l 502.2 01/13/06 Xylenes, Total 0.0015 502.2 01/13/06 BDL mg/1 0.00050 01/13/06 01/13/06 Methylene chloride BDL mg/1 502.2 1,2-Dichlorobenzene trans-1,2-Dichloroethene 502.2 BDT. mg/l 0.00050 BDL mg/1502.2 01/13/06 1,2-Dichloropropane 502.2 BDL 0.00050 mg/l 01/13/06 1,1,2-Trichloroethane  $\mathtt{BDL}$ 0.00050 mg/l 502.2 01/13/06 01/13/06 01/13/06 Tetrachloroethene 0.00060 0.00050 mg/l 502.2 0.00050 502.2 mg/l Chlorobenzene Toluene BDL 0.00050 502.2 01/13/06 BDL mg/l Ethylbenzene 0.00050 mg/l 502.2 01/13/06 mg/l BDL 0.00050 502.2 01/13/06 Styrene 01/13/06 01/13/06 Bromobenzene BDL 0.00050 mg/l 502.2 0.00050 502.2 mg/1Bromodichloromethane BDL 0.00050 mq/1 502.2 BDL 01/13/06 Bromoform 0.00050 502.2 01/13/06 Bromomethane BDL mg/l Chlorodibromomethane BDL 0.00050 mg/l 502.2 01/13/06 01/13/06 Chloroethane BDT. 0.00050 mg/l 502.2 0.00050 502.2 01/13/06 BDL ma/1Chloroform Chloromethane BDL 0.00050 mg/l 502.2 01/13/06 0.00050 mg/1502.2 01/13/06 2-Chlorotoluene BDL 4-Chlorotoluene BDL 0.00050 mg/l 502.2 502.2 01/13/06 01/13/06 0.00050 Dibromomethane BDL 1,3-Dichlorobenzene BDL 0.00050 mg/l 502.2 01/13/06 1,1-Dichloroethane BDL 0.00050 mg/l 502.2 01/13/06 1,3-Dichloropropane BDL 0.00050 mg/l 502.2 01/13/06 mg/12,2-Dichloropropane 1,1-Dichloropropene BDL. 0.00050 502.2 01/13/06 mq/l 502.2 01/13/06 BDL 0.00050 1,3-Dichloropropene BDL 0.00050 mg/l 502.2 01/13/06

BDL - Below Detection Limit

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01

KY - 90010, KYUST - 0016, NC - ENV375,DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233

AZ -0612, MN - 047-999-395, NY - 11742, NJ - 81002, WI - 998093910

L228845-01 (V502) - subcontracted to Analytical Lab

Page 1 of 2



12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

January 19, 2006

Mr. Doug Guild Prescott Environmental Associates, PO Box 2555 Chapel Hill, NC 27515

Date Received

January 07, Parkway Chev. 07, 2006 ESC Sample # : L228845-01

Description

Site ID :

Sample ID

W-1 (MW-1A) 23 FT

Project # : 98-007

Collected By Collection Date : Doug Guild 01/06/06 10:25

Parameter	:	Result	Det. Limit	Units	Method	Date	Dil.
1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane 1,2,3-Trichloropropane		BDL BDL BDL	0.00050 0.00050 0.00050	mg/l mg/l mg/l	502.2 502.2 502.2	01/13/06 01/13/06 01/13/06	1 1 1

ESC Representative

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01

KY - 90010, KYUST - 0016, NC - ENV375,DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233

AZ -0612, MN - 047-999-395, NY - 11742, NJ - 81002, WI - 998093910

The reported analytical results relate only to the sample submitted. This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 01/19/06 13:11 Printed: 01/19/06 13:11 L228845-01 (V502) - subcontracted to Analytical Lab

Page 2 of 2

# Summary of Remarks For Samples Printed 01/19/06 at 13:11:15

TSR Signing Reports: 350 R5 - Desired TAT


Sample: L228845-01 Account: PREENVCNC Received: 01/07/06 09:00 Due Date: 01/20/06 00:00 RPT Date: 01/19/06 13:11 Refer to L228843. Subbed to Analytical Lab jlc 01/09/06 PO#S7633

		Alte	Alternate billing in	information:			Analysis/C	Analysis/Container/Preservative	servative		Chain of Custody	
Present environmental Misso.	155 oc. 5/k, 30									Prepared by:	rage of	•
Chapt thill, NC >7516	. 2									ENVIR	ENVIRONMENTAL	
		<u></u>								SCIEN	SCIENCE CORP.	
Report to:		Email to:	1 to: 0	4	ore contract for		i e			12065 L Mt, Julie	12065 Lebanon Road Mt. Juliet, TN 37122	
3			City/Sate	0 -					2.07	Оропе	Dhone (615) 758_5858	
.21	١,	N.A	Collected &	Bhow //c	) N (					Phone (	Phone (800) 767-5859	
Phone: 919, 942-600L FAX: 019-901-29-0	Client Project #: <b>48 - 69</b> 7	K **	ESC Key:							FAX (	FAX (615) 758-5859	
Đặ	Site/Facility ID#:	*	#.O.9	400.86								
Collected by (signature):	Rush? (La	(Lab MUST Be Notified)	lotified)	Date Results Needed:	s Needed:	Ī			2000	ese epopopie	(ab use orly)	
		Same Day.	200%	Email? No Yes	.   -		Q J -		N. S.	Template Preson		
Packed office N	¥	vo Day	50%	FAX? No Yes	1	l·z	د 4			frsnipped Ma		
Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	cutrs &	27			Remarks/Contaminant	Sample # (lab only)	
W-1 (MW-1A)	624	6ω	23	10/1/	10.25	¥ .	7					<u>_</u>
												je je <u>11. je</u>
		in a										
							4					
												<u></u>
*Matrix: SS - Soil/Solid GW - Grou	GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other	- WasteWater	DW - Drink	ing Water C	T - Other	0	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	ENGLIN TO CO	Hd (3)	T	Temp	
Remarks:	7				10	<u>ک</u>	The state of	· .	Flow		Other	
Relinquished by: (Signature)	Date:	Time: 2:10 PM	Regeived by:	ed by: (Signatur	turk		Sam	Samples returned via:   Samples returned via:   PedEx Courier   Sav	via: □UPS	Condition	e las useoni	
Relinguated by (Signature)	Date:	Time:	Received	ed/by: (Signatur	tur		Tem 3	7.	Bottles Receiv	edri	Ŕ	
Relinquished by: (Signature)	Date:	Time:	Receiv	/ed for lab b	(Bignature)	1	Dail.	90/2	100m	DH:CheOkedSHC		
				7				,				

# ENAIBONWENLYT SCIENCE COBE:

## SAMPLE NON-CONFORMANCE FORM

Pa	that they
VIII	Client contact:
210) clate: 1-9-0-P-1 :sime: (015	Client informed by call \ email \ fax \ voice mail
TSR Initials:	Login Instructions:
	Comments: A TB 120 A.
	Sample was frozen
carrier (FedEx / UPS / Courier)	Improper handling by
	Insufficient packing r
naterial around container	Insufficient packing r
volume remains for analysis requested	
Broken container: sufficient sample	Broken container(s) see below
Improper temperature	Parameter(s) past holding time
Container lid not in tact	Chain of custody is incomplete
Improper preservation	Improper container type
Login Clarification Meeded	Chain of Custody is missing
	Non-Conformance (check applicable items)
	Charles Andrew Control
	Client: OREENICAC
	Evaluated by: Lacy
	Date:     7   06
	Sample No. : 1 33885
	7/1800



12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Doug Guild Prescott Environmental Associates, PO Box 2555 Chapel Hill, NC 27515

January 11, 2006

Date Received :

Description

Collected By

January 07, Parkway Chev

Sample ID

W-1 (MW-1A) 23 FT

:

Doug Guild

Collection Date: 01/06/06 10:25

ESC Sample # : L228843-01

Site ID :

Project # : 98-007

Parameter	Result	Det. Limit Units	Method	Date	Dil.
625 Base/Neutrals w/ TIC					
Acenaphthene	BDL	0.010   mq/1	625	01/09/06	1
Acenaphthylene	BDL	0.010 mg/l	625	01/09/06	1
Anthracene	$\mathtt{BDL}$	0.010   mq/l	625	01/09/06	1
Benzidine	BDL	0.050  mg/l	625	01/09/06	1
Benzo(a)anthracene	BDL	0.010   mq/1	625	01/09/06	1
Benzo(b) fluoranthene	$\mathtt{BDL}$	0.010   mg/1	625	01/09/06	1
Benzo(k) fluoranthene	BDL	0.010 mg/l	625	01/09/06	1
Benzo(g,h,i)perylene	BDL	0.010   mg/l	625	01/09/06	1
Benzo(a)pyrene	BDL	0.010 mg/l	625	01/09/06	1
Bis(2-chlorethoxy)methane	BDL	0.010 mg/l	625	01/09/06	1
Bis(2-chloroethyl)ether	BDL	0.010   mg/1	625	01/09/06	1
Bis(2-chloroisopropyl)ether	BDL	0.010  mg/l	625	01/09/06	1
4-Bromophenyl-phenylether	BDL	0.010  mg/l	625	01/09/06	1
2-Chloronaphthalene	$\mathtt{BDL}$	0.010 mg/l	625	01/09/06	1
4-Chlorophenyl-phenylether	BDL	0.010 mg/l	625	01/09/06	1
Chrysene	$\mathtt{BDL}$	0.010  mg/l	625	01/09/06	1
Dibenz (a,h) anthracene	$\mathtt{BDL}$	0.010  mg/l	625	01/09/06	1 .
3,3-Dichlorobenzidine	BDL	0.010   mg/l	625	01/09/06	1
2,4-Dinitrotoluene	BDL	0.010 mg/l	625	01/09/06	1
2,6-Dinitrotoluene	$\mathtt{BDL}$	0.010  mg/l	625	01/09/06	1
Fluoranthene	BDL	0.010  mg/l	625	01/09/06	1
Fluorene	BDL	0.010   mg/l	625	01/09/06	1
Hexachlorobenzene	$\mathtt{BDL}$	0.010   mg/1	625	01/09/06	1
Hexachloro-1,3-butadiene	BDL	0.010  mg/l	625	01/09/06	1
Hexachlorocyclopentadiene	BDL	0.010  mg/l	625	01/09/06	1
Hexachloroethane	$\mathtt{BDL}$	0.010 mg/l	625	01/09/06	1
Indeno(1,2,3-cd)pyrene	BDL	0.010   mg/l	625	01/09/06	1
Isophorone	BDL	$0.010  ext{mg/l}$	625	01/09/06	1
Naphthalene	BDL	0.010   mg/l	625	01/09/06	1
Nitrobenzene	BDL	0.010 mg/l	625	01/09/06	1
n-Nitrosodimethylamine	BDL	0.010 mg/l	625	01/09/06	1
n-Nitrosodiphenylamine	BDL	0.010   mg/l	<u>√</u> 625	01/09/06	1
n-Nitrosodi-n-propylamine	BDL	0.010 mg/l 4	<b>3</b> 625	01/09/06	1
Phenanthrene	BDL	0.010   mg/1	625	01/09/06	1
Benzylbutyl phthalate	BDL	0.010 mg/l	625	01/09/06	1
Bis(2-ethylhexyl)phthalate	BDL	0.010 mg/l	625	01/09/06	1
Di-n-butyl phthalate	BDL	0.010 mg/l	625	01/09/06	ī
	2.5				

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)


Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01

KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233

AZ -0612, MN - 047-999-395, NY - 11742, NJ - 81002, WI - 998093910

Page 1 of 4



12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Doug Guild Prescott Environmental Associates, PO Box 2555

Chapel Hill, NC 27515

January 11, 2006

ESC Sample # : L228843-01

Site ID :

Jimmy Hunt,

Project # : 98-007

Date Received

January. 07,

Description

Parkway Chev

Sample ID

W-1 (MW-1A) 23 FT

Collected By Collection Date : Doug Guild 01/06/06 10:25

Parameter		Result	Det. Limit	Units	Method	Date	Dil.	
Diethyl phthalate		BDL	0.010	mg/l	625	01/09/06	1	
Dimethyl phthalate		BDL	0.010	mg/1	625	01/09/06	1	
Di-n-octyl phthalate		BDL	0.010	mg/l	625	01/09/06	1	
Pyrene		BDL	0.010	mq/1	625	01/09/06	1	
1,2,4-Trichlorobenzene		$\mathtt{BDL}$	0.010	mg/1	625	01/09/06	1	
Acid Extractables	•		* * * * * * * * * * * * * * * * * * * *	.5.				
4-Chloro-3-methylphenol	-	BDL	0.010	mq/1	625	01/09/06	1	
2-Chlorophenol		BDL	0.010	mg/l	625	01/09/06	1	
2,4-Dichlorophenol		BDL	0.010	mg/1	625	01/09/06	1	
2,4-Dimethylphenol		BDL	0.010	mg/l	625	01/09/06	1	
4,6-Dinitro-2-methylphenol		BDL	0.010	mg/l	625	01/09/06	1	
2,4-Dinitrophenol		BDL	0.010	mg/l	625	01/09/06	1	
2-Nitrophenol		BDL	0.010	mg/l	625	01/09/06	1	
4-Nitrophenol		BDL	0.010	mg/l	625	01/09/06	1	
Pentachlorophenol		BDL	0.010	mg/l	625	01/09/06	1	
Phenol		BDL	0.010	mg/1	625	01/09/06	1	
2,4,6-Trichlorophenol		BDL	0.010	mg/l	625	01/09/06	1	
Surrogate Recovery								
Nitrobenzene-d5		75.		% Rec.	625	01/09/06	1	
2-Fluorobiphenyl		100		% Rec.	625	01/09/06	1	
p-Terphenyl-d14		220		% Rec.	625	01/09/06	1	
Phenol-d5		62.		% Rec.	625	01/09/06	1	
2-Fluorophenol		56.	and the second second	% Rec.	625	01/09/06	1	
2,4,6-Tribromophenol		78.		% Rec.	625	. 01/09/06	1	

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers: //

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01

KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233

AZ -0612, MN - 047-999-395, NY - 11742, NJ - 81002, WI - 998093910

The reported analytical results relate only to the sample submitted. This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 01/11/06 10:19 Printed: 01/11/06 10:19

ESC Representative

### Attachment A List of Analytes with QC Qualifiers

Sample #	Analyte Qualifi	er i
L228843-01	Benzo (b) fluoranthene V3	
	Benzo(k) fluoranthene V3 Benzo(g,h,i) perylene V3	
	Benzo(g,h,i)perylene V3 Benzo(a)pyrene V3	
	Dibenz (a, h) anthracene V3	
	Indeno(1,2,3-cd)pyrene V3	
	Di-n-butyl phthalate J4	
	Diethyl phthalate J4	
•	Pyrene J4 p-Terphenyl-d14 J1	

#### Attachment B Explanation of QC Qualifier Codes

Qualifier	Meaning
J1.	Surrogate recovery limits have been exceeded; values are outside upper control limits
J4	The associated batch QC was outside the established quality control range for accuracy.
V3	(ESC) - Additional QC Info: The internal standard exhibited poor recovery due to sample matrix interference. The analytical results will be biased high. BDL results will be unaffected.

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable unless qualified as 'R' (Rejected).

#### Definitions

Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.

Qualifier Report Information

- Precision The agreement between a set of samples or between duplicate samples.

  Relates to how close together the results are and is represented by Relative Percent Differrence.
- Surrogate Organic compounds that are similar in chemical composition, extraction, and chromotography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.

Control Limits (AQ) (SS)
2-Fluorophenol 31-119 Nitrobenzene-d5 43-118 Dibromfluoromethane 68-128 64-125
Phenol-d5 12-134 2-Fluorobiphenyl 45-128 Toluene-d8 76-115 69-118
2,4,6-Tribromophenol 51-141 Terphenyl-d14 43-137 4-Bromofluorobenzene 79-127 61-134

TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

# SEMI-VOLATILES ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Client Name:	Prescott Environmental Associates, Inc.		SAMPLE ID.
			L228843-01
Matrix:	WATER	ESC Sample NO:	L228843-01
Date Collected:	01/06/2006	Lab File ID:	0109 39
Date Analyzed:	01/09/2006	Dilution Factor:	1

Tentatively Identified compounds (TIC) refers to substances not present in the list of target compounds . Therefore, not all TIC's are identified and quantitated using individual standards . TIC listings are prepared utilizing a computerized library search routine of electron impact mass spectral data and evaluation of the relevant data by a mass spectral data specialist . Quantitation is accomplished by relative peak area of the TIC compared to that of the nearest internal standard . from the total ion chromatogram . TIC's are identified and quantitated only if the peak area is 10 % or more of that of the nearest internal standard .

Number Of TICs Found: 5

CONCENTRATION UNITS:

mg/l

CAS NO.	COMPOUND	RT	EST. CONC.	Q
006971-40-0	17-Pentatriacontene	8.47	. 0.01	J
000084-77-5	Didecyl phthalate	9.5	0.01	J
028553-12-0	1,2-Benzenedicarboxylic acid, diis	9.53	0.01	J
001120-16-7	Dodecanamide	9.57	0.03	J
02239630-1	3,26-Dioxa-2,27-disilaoctacosane,	9.73	0.02	J

Company Name/Address:		Alter	Alternate billing information:	nformation:		You are	Analysis/Container/Preservative	ntainer/Pre	servative		Chain of Custody
PRESENT ENJOYMENTAL MSGC.	Ms dc.							NY Usar		Dorogod by:	Lage O
308 W. Rose may St., 54, 306	, St. 30L	· M						1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		richaide by.	
Chepl 1711, NC , 7576	, 2									* Envir	ENVIRONMENTAL
	ļ									SCIENC	SCIENCE CORP
										12065 Lel	12065 Lebanon Road
Report to: Dave Guild		Email to:	is day @	-	prescottens.com	ક્				Mt. Juliet, TN 37122	TN 37122
Project CACUM CHEV.			City/Sate Collected	18 han The	26					Phone (6	Phone (615) 758-5858
19-542-61	Client Project #:		1 8							Phone (8	Phone (800) 767-5859
FAX: 049-941-2964	48-007	K.								FAX (6	FAX (615) 758-5859
Collected by: Dovous C. Guile	Site/Facility ID#:		P.O.#:	400.86							
Collected by (signature):	Rush? (Lab N	(Lab MUST Be Notified)		Date Results Needed:	ts Needed:					CoCode	(lab use only)
	Same	Same Day 200%	200%	Email?	ON CAN	ON	<b>Q</b> J			Template/Prelogin	
Danked of Ce N	Two D	Two Day50%			S S S	<b>ા</b> 2 ં	+ 3		V.37% 37 - 73	Shinned Wa	
ple IC	Comp/Grab	Matrix*	Depth	Date	Time	cutrs و	5Z 9			Remarks/Contaminant	Sample # (lab only)
(MW-1A)	3	8	. 2.2	16/06	(0.25	\ <u>\</u>	7				(2288432)
										•	
								Si yi Si yi yi Shasa			
					/			1 (1) (8) (1) (8) (2)			
*Matrix: SS - Soil/Solid GW - Groundwater		ww - WasteWater	DW - Drinking Water		OT - Other	0	c.s.	tris	CL1994 SpH	Temp	dı
Remarks:			٠.		0	₹ 	5 (2		Flow	Other	er
Relinquished by: (Signature)	) Date:	Time: <b>2:10</b>	Regeived by	d by: (Sighatur	turk		Sample FedE	Samples returned via: ☐ UPS	ia: □UPS	Condition.	(lab use only)
Reliperated by (Signature)	Date:	Time:	Receive	Received by: (Signature	tur@		Temp: 3:/	е - Д	Bottles Received. $ u$	" 1 : 14, 14 d hold	
Relinquished by: (Signature)	Date:	Time:	Received		de lab by Asignature)	٨	Date.	90/	∏me. <b>9′.0</b> 0∆M	beyced Hd	NOF
				1				1			